


Committed to excellence



RUTRONIK
ELECTRONICS WORLDWIDE

OMRON



MOSFET Relays



Content

RUTRONIK's Core Competencies02	Building automation & security10
About OMRON03	Energy metering equipment12
Your partner in solid state innovation04	Product overview 14 –16
Relays for tomorrow's systems05	Immediately available parts17
Test & measurement equipment06	RUTRONIK2418
Industrial equipment08	

RUTRONIK's Core Competencies

Our Product Portfolio

Semiconductors	Boards & Systems
Passive Components	Storage Technologies
Electromechanical Components	Wireless Technologies
Displays & Monitors	

Our Initiatives

Follow us

- www.facebook.com/rutronik
- <https://twitter.com/Rutronik>
- www.youtube.com/user/Rutronik24
- <https://rutronik-tec.com>
- www.linkedin.com/company/rutronik

www.rutronik.com

www.rutronik24.com

Committed to Excellence

Consult – Know-how. Built-in.

The Technical Competence from RUTRONIK

Worldwide and individual consulting on the spot: by competent sales staff, application engineers and product specialists.

Components – Variety. Built-in.

The Product Portfolio from RUTRONIK

Wide product range of semiconductors, passive and electro-mechanical components, displays & monitors, boards & systems, storage and wireless technologies for optimum coverage of your needs.

Logistics – Reliability. Built-in.

The Delivery Service from RUTRONIK

Innovative and flexible solutions: from supply chain management to individual logistics systems.

Quality – Security. Built-in.

Quality without Compromise from RUTRONIK

The integrated management system (IMS) encompasses quality control, information security, environmental protection, occupational health and safety.

About Omron

Omron Corporation is a global leader in the field of automation. It provides a variety of products and services in the fields of industrial automation, electronic component industries and healthcare.

Based in Kyoto, Japan, Omron has head offices in Kyoto, Singapore, Hong Kong, Amsterdam and Chicago. It employs more than 37,000 people in 36 countries. The European division has its own development and manufacturing facilities. Local customer support is provided in all European countries.

Omron seeks to anticipate the needs of future generations. This is the inspiration for all our products and services. We engage with customers to advance not just products, but also the way they are created and used. From the birth of an idea to the production line and right through R&D, shipping and aftersales, we are continually exploring new possibilities. Our aim is to create maximum value for you.



MOSFET relays – the first choice for tomorrow's systems

Current trends towards equipment downsizing, energy efficiency and faster operation present system designers and manufacturers with tremendous challenges. At the same time, durability and safety standards continue to rise.

The Omron G3VM range of MOSFET relays includes more than 200 models, offering you the flexibility you need to match your most demanding customers, designs and manufacturing processes.

Your partner in solid state innovation

In today's fast-moving business world, electronic engineering teams are constantly searching for innovative, smart and eco-friendly solutions. The latest achievements in field of MOSFET relays allow the creation of advanced industry designs with fewer compromises than ever.

MOSFET relays are modern electronic components used in all kinds of equipment, spanning test and measurement, the energy industry, factory automation, residential and commercial buildings and medical devices. They are often essential to the performance of communication equipment and offer important benefits for the design of office equipment and amusement devices.

Omron offers cutting-edge MOSFET relay technology in its G3VM product line. Over recent years, the range has continually expanded into a comprehensive portfolio of trusted products with applications in a wide spectrum of business fields.

Omron's G3VM MOSFET relays are a global benchmark in the solid state relay (SSR) market. Manufactured using the latest advances in automated production, they include a variety of improved construction technologies in the areas of key photocoupler elements such as light emitting diode (LED), photodiode array (PDA) and MOSFET chips. These innovations have helped us to achieve advanced performance with increased reliability, while providing market-leading specifications.

MOSFET relays from Omron combine the advantages of mechanical and solid state technology, giving you unprecedented design capability. The G3VM product line offers outstanding characteristics: for example, components packed onto the industry's smallest PCB mounting area; the capacity to continually raise the maximum switching load capacity to levels of mechanical relays; and the ability to select ultrasensitive models which save a considerable amount of input power. Most importantly, our recently developed G3VM module solutions offer outstanding value for customers, not only through their technical specifications but also by offering a complete module and thus shortening the time to market.

Omron products always meet the highest quality requirements and are accompanied by reliable customer care and technical support. We work hand-in-hand with designers to combine the latest technologies with innovative designs.

G3VM FEATURES HELPING YOU TO CREATE RELIABLE, HIGH-PERFORMING EQUIPMENT:



Ultra-small size and weight

The newest VSON and S-VSON packages offer substantial space savings, making them ideal for applications which require small overall size and less space on the bottom surface.



Low drive current

They achieve energy savings with a standard driving current of 2 to 15 mA. Ultrasensitive models are also available featuring drive currents as low as 0.2 mA (max).



Long operating life

MOSFET relays use light signal instead of moveable contacts. This avoids contact wear, substantially increasing operational life.



Small leakage current

These relays can withstand external surge current without the addition of a snubber circuit. Under normal conditions, the typical leakage current is around 1 nA or lower.



Excellent shock resistance

All the internal parts are manufactured using a casting method and contain no movable parts. This gives them excellent shock and vibration resistance.



High insulation

MOSFET relays offer great input/output isolation due to their operating principle, which turns the voltage into the light and transfers it by light signal. This means that input and output are isolated. The standard models offer 2,500 Vrms between input and output, and superior 5,000 Vrms products are also available. Products offering 3,750 Vrms have also been added to the SOP package series.



Silent operation

As MOSFET relays do not have mechanical contacts, by using a MOSFET instead of an electromechanical relay, it is possible to eliminate switching noise in your applications.



High-speed switching

Compared with a mechanical relay's switching time of 3 to 5 ms, a MOSFET relay's switching time is shortened to 0.2 ms (SSOP, USOP, VSON). This ensures quick-response performance.



Good linearity

MOSFET relays greatly reduce the dead zone when compared to the triac. The input waveform of the micro analog signal does not suffer as much distortion and the waveform is basically converted into output without significant change.

Test and measurement equipment – compact and precise

Increasingly sophisticated testing and measuring devices are in demand for the electronics, medical, healthcare and automotive sectors, among others. These complex applications require high density of the assembled components along with high reliability and the utmost accuracy. Small packages of components considerably contribute to space savings in end products. Module solutions can simplify design work, which means shorter time from design to production.

Omron provides a range of purpose-built products for the test and measurement industry, suitable for applications like Automated Test Equipment (ATE), semiconductor test boards, oscilloscopes, data loggers and other measurement instruments. For example, they can be used for LSI functional testing in performance boards, or to switch the measurement line in display test equipment. They can also be found in spectrum analysers and various recorders.

Low output capacitance (Coff) and on-resistance (RON) types are available in a selection including VSON and S-VSON packages. Remarkably small capacitance between terminals and output on-resistance enables clear signal transfer at high frequencies. Easily visible solder joints make installation quick and convenient, despite their minute package sizes.

Recently developed MOSFET relay modules are enriching the product offer for the ATE market. Relays in module package in SPDT contact form save considerable space on PCBs and offer the advantage of solid state technology, such as a long, maintenance-free lifetime.



G3VM- UV series VSON(R)

The new G3VM- 21UV11/51UV/61UV relays are voltage driven type MOSFET relays in a VSON package with a current limiting internal resistor on the input side and an operating temperature range up to +110°C. These components are used in semiconductor test equipment, test and measurement equipment, communication equipment and data loggers.

G3VM- 41QR10 series S-VSON (L)

The industry's smallest class of G3VM-41QR10 relays broadens Omron's range of low CxR category S-VSON relays. It is ultra-small package cover only 2.9 mm² on PCB and, with Coff of only 0.45pF, it is ideal for switching high-speed test signals.



G3VM-66M Module


The new SPDT MOSFET relay module extends operating life while reducing mounting space and design time. Operated by voltage, the module also offers extremely high-speed switching and good leakage current characteristics. This product is used in the semiconductor test equipment market.



Industrial equipment – performance and reliability

Reliable on-off signal switching is a vital requirement for power management in many industrial applications. Our general-purpose MOSFET relays combine reliable high-speed switching with high switching capacity and small size. They are ideal for programmable logic controllers (PLC), small solenoid controlled valves, motors and lamps used in robotic and other manufacturing equipment. They are also used extensively in control terminals and power supplies for factory automation.


Omron supplies purpose-built MOSFET relays for industrial applications in a wide array of DIP, SOP, SSOP and USOP packages. These reliable components allow system designers to stay ahead of many challenges.



G3VM-101HR2

Low RON & high current type

The new G3VM-101HR2 MOSFET relay takes the control of high current circuits closer to mechanical relay levels. In an SOP6 package, it typically achieves on-resistance of only 16mΩ, enabling control of 3A (6A for DC possible) at 100V. This relay, which also features improved operating temperature and reduced timing characteristics, is suitable for various applications where high switching capacity is needed.



G3VM-401DY

High dielectric strength type

Relays with dielectric strength of 5,000 VAC between input/output in a small DIP4 package are also available with other load voltages (40V/60V/200V/350V/600V) and with lower trigger current specifications (high sensitivity types).

Current limit function

A built-in current limit function (CLF) is incorporated in some models for protection against surge. Traditionally used to clamp excessive overcurrent fault conditions in sensitive equipment, this feature can also be used to good effect to resist transient and short circuit conditions.

Double the DC current

Some G3VM models can be connected in three different ways (connection A/B/C). If used with a DC circuit, connections B and C are available. MOSFET relay types compatible with connection C (i.e. parallel connection of two MOSFET elements) offer switching at double the ratings of the continuous load current. The current portfolio of G3VM products can reach a maximum switching current level of 10A for DC loads.

Building automation – safe and efficient

Efficient alarm and access control systems contribute to both convenience and peace of mind for building occupants. Omron MOSFET relays come in a wide range of formats and contact configurations to suit the latest building automation systems. Offering reliability, energy efficiency and high isolation, they are essential components in security alarm systems, fire and smoke detectors and building access control systems.

Their small size complements today's compact designs, while a long lifetime and excellent shock resistance ensure long-term reliability, even in demanding applications.

With high input/output isolation and no mechanical contacts, these relays are a suitable choice where silent operation is preferred. All these features make them ideal for switching signals from sensor units, including Passive Infrared Sensors (PIR). MOSFET relays are also found in HVAC systems, where they are used for power control in contactor coils. Additional uses include switching signals from lighting and elevator equipment.

These are just some of the many applications for MOSFET relays in building automation. New, sophisticated equipment will always rely on safe, energy saving and highly durable electronic components.

G3VM 61G2/G3
 Omron ultrasensitive type relays are suitable for many energy-saving and battery-driven devices used in building automation systems.




G3VM-61VY3 and G3VM-351VY
 The newest general-purpose MOSFET relays in a special SOP package are characterised by improved load performance, isolation and temperature range. These popular types can be used in various applications, including ON/ OFF control or handling micro analog signal operation in building and factory automation.

High sensitivity types (low drive current)

Many models of Omron's MOSFET relays are made with white mould resin in order to achieve high sensitivity. White moulded relays can receive light both from the LED and indirectly reflected from resin. This results in higher sensitivity.

High dielectric strength

High dielectric strength types, supplied in a black package (black mould resin), have achieved great insulation values through their double mould structure. These models have been added to the DIP and SOP series, achieving values of 5,000 Vrms for DIP and 3,750 Vrms for SOP.



Energy equipment – smart and convenient

The energy industry is evolving fast, and so are the needs of its generation, monitoring and storage systems.

To optimise the benefits, system components need to meet the highest standards of safety and reliability.

Energy management is growing as smart meters enable more control over energy consumption and contribute to energy savings. MOSFET relays with high dielectric strength fit the requirements of this development and are increasingly in demand as components to enable switching of high voltages in small spaces in smart metering application.

MOSFET relays can be found in other energy-related devices too. Their small package sizes and low power consumption are making them a preferred choice for external/internal signal control in the communication units of energy devices. Power monitoring and battery charging systems are further examples of applications that utilise the benefits of solid state technology in the energy sector.


Many other industries, including office automation, the medical market, audio/video, broadcasting, communication and amusement, are also finding MOSFET relays to be useful and value-adding components.



Design flexibility

The internal optocoupling structure of Omron's MOSFET relays is designed for the utmost versatility in terms of mounting possibilities. It gives device designers the flexibility they need for advanced innovation. MOSFET relays allow flexibility in circuitry designs: they can be driven directly from a logic circuit and they allow AC or DC load to be switched in either direction. In many parameters, they become a fully functional alternative to an electromechanical relay with minimal additional drive circuitry.


Internal structure



MOSFET relay consists of the following three components:

- ① LED (light emitting diode)
- ② Photodiode dome array (PDA)
- ③ MOSFET

Operating principle



- (1) The LED lights up when the current is connected at the input side.
- (2) The light sent by the LED will be converted into voltage when it is received by the photodiode.
- (3) This voltage will be the gate voltage to drive the MOSFET via control circuit.

Omron MOSFET relay product range

As an industry leader in switching solutions, Omron offers a portfolio designed around the specific needs of different markets. It contains G3VM relays with load voltages as high as 600V, as well as models with load current up to 5A (*10A for DC loads). The Omron G3VM lineup has been expanded considerably to include particular performance characteristics such as high current and low on-resistance models, high dielectric strength types, multi-contact types, low CxR types and our highly popular general-purpose MOSFET relays.

PRODUCTS BY PACKAGE:

DIP Bottom Surface 100% 	SOP Bottom Surface 59% 	SSOP Bottom Surface 26% 	USOP Bottom Surface 21% 	VSON Bottom Surface 12% 	S-VSON Bottom Surface 10%
--	---	--	--	--	--

General purpose relay

Best-selling products suitable for various applications Ideal for AC/DC load, Micro analog signal

Package	Model	Contact form	Load voltage (V) Max.	Continuous load current (mA) Max.	Dielectric strength between I/O (Vrms)
DIP	G3VM-61A1/D1	1a	60	500	2500
	G3VM-61B1/E1	1a	60	500 (1000)	2500
	G3VM-62C1/F1	2a	60	500	2500
	G3VM-351A/D	1a	350	120	2500
	G3VM-351B/E	1a	350	120 (240)	2500
	G3VM-352C/F	2a	350	120	2500
SOP	G3VM-61G1	1a	60	400	1500
	G3VM-61VY1	1a	60	100	3750
	G3VM-61VY2	1a	60	500	3750
	G3VM-61VY3 NEW	1a	60	700	3750
	G3VM-63G	1b	60	500	1500
	G3VM-61H1	1a	60	400 (800)	1500
	G3VM-62J1	2a	60	400	1500
	G3VM-81G1	1a	80	350	1500
	G3VM-351G	1a	350	110	1500
	G3VM-351VY	1a	350	110	3750
	G3VM-351H	1a	350	110 (220)	1500
	G3VM-352J	2a	350	110	1500
	G3VM-401VY NEW	1a	400	110	3750

*1. Load current in case of connection C is shown in parentheses (DC load only)
*2. VY, VY1, VY2, and VY3 types: Special SOP4 pin package

High Current & Low On-resistance Type

Offers High Current & Low On-resistance in the same level as the mechanical relay

Package	Model	Load voltage (V) Max.	Continuous load current (A) Max.	Maximum resistance with output ON (Ω) Typ.
DIP	G3VM-21AR/DR	20	3	0.04
	G3VM-21BR/ER	20	4 (8)*	0.02 (0.005)*
	G3VM-31BR/ER NEW	30	5	0.04
	G3VM-31AR/DR NEW	30	4	0.05
	G3VM-41AR/DR	40	2.5	0.05
	G3VM-41BR/ER	40	3.5 (7)*	0.03 (0.008)*
	G3VM-61AR/DR	60	2	0.08
	G3VM-61AR1/DR1 NEW	60	3	0.1
	G3VM-61BR/ER	60	2.5	0.065
	G3VM-61BR1/ER1	60	3 (6)*	0.04 (0.01)*
	G3VM-61BR1/ER2 NEW	60	4	0.06
	G3VM-61CR1/FR1	60	5(10)	0.022(0.013)
	G3VM-101AR/DR	100	1	0.25
	G3VM-101AR1/DR1 NEW	100	2	0.2
	G3VM-101BR/ER	100	2 (4)*	0.1 (0.025)*
	G3VM-101BR1/ER1 NEW	100	3.5	0.08
	G3VM-101CR/FR NEW	100	3(6)	0.06
	G3VM-201AR/DR NEW	200	0.7	2
	G3VM-201CR/FR NEW	200	1.5(3)	0.25
	G3VM-401CR/FR	400	0.4(0.8)	3(1.3)
G3VM-601CR/FR	600	0.6(1.2)	1.3(0.5)	
SOP	G3VM-21HR	20	2.5 (5)*	0.02 (0.005)*
	G3VM-31HR NEW	30	4(8)	0.02(0.004)
	G3VM-41GR8	40	1	0.1
	G3VM-41HR	40	2.5 (5)*	0.03 (0.008)*
	G3VM-61GR1	60	1	0.25
	G3VM-61GR2	60	1.7	0.08
	G3VM-61VR NEW	60	1.4	0.13
	G3VM-61HR	60	2.3 (4.6)*	0.04 (0.01)*
	G3VM-61HR1	60	3.3(6.6)	0.03(0.008)
	G3VM-81HR	80	1.25 (2.5)*	0.11 (0.03)*
	G3VM-101HR	100	1.4 (2.8)*	0.1 (0.025)*
	G3VM-101HR1 NEW	100	2(4)	0.045(0.011)
	G3VM-101HR2 NEW	100	3	0.065
	S-VSON	G3VM-31QR	30	1.5
G3VM-61QR2 NEW		60	1	0.2
G3VM-101QR1 NEW		100	0.65	0.4

*1. Load current in case of connection C is shown in parentheses (DC load only)
*2. VY, VY1, VY2, VY3 and VR types: Special SOP4 pin package

Low Output Capacitance and ON Resistance Type (Low CxR)

Ideal for semi-conductor test equipment. low C(capacitance between terminals) × R(output on-resistance) type

VSON package

Model	Load voltage (V) Max.	Continuous load current (mA) Max.	Maximum resistance with output ON(Ω) Typ.	Capacitance between terminals (pF) Typ.
G3VM-21UR10	20	200	3	0.8
G3VM-21UR1	20	450	0.8	5
G3VM-21UR11	20	1000	0.18	40
G3VM-41UR12	40	100	15	0.3
G3VM-41UR10	40	120	12	0.45
G3VM-41UR11	40	140	7	0.7
G3VM-61UR1	60	120	10	0.7
G3VM-21UV11* NEW	20	1000	0.22	40
G3VM-51UV* NEW	50	300	1.5	12
G3VM-61UV* NEW	60	400	1.5	20


*Very Small Outline Non-Leaded Package with Voltage Driving Type; VSON(R) MOS FET relay with current limiting internal resistor on the input side

S-VSON package

Model	Load voltage (V) Max.	Continuous load current (mA) Max.	Maximum resistance with output ON(Ω) Typ.	Capacitance between terminals (pF) Typ.
G3VM-41QR10* NEW	40	120	11	0.45
G3VM-61QR NEW	60	400	1.1	12

* 41QR10 type: S-VSON(L)package (Low profile type)

G3VM model number legend



Note 1: Some products may have a different model number structure. Note 2: In order to avoid the confusion of I (English letter) and 1 (number), I (English letter) is not used here.
 Note 3: For 4-pin SOP models, where the available marking space is insufficient to clearly differentiate model numbers with 6 or more suffix digits, the package type code ③ is omitted.



Immediately available parts

KLGR	Producttype
REL8552	G3VM61QR2
REL8892	G3VM61VR
REL8124	G3VM353G
REL8895	G3VM63G
REL8897	G3VM351VY
REL9061	G3VM61UR1TR05
REL9059	G3VM101QR1
REL9065	G3VM61AY1
REL8893	G3VM61VY3
REL9066	G3VM61CR1
REL9062	G3VM66M
REL9063	G3VM601CR
REL9064	G3VM351AY
REL8898	G3VM401VY
REL7875	G3VM61G3

KLGR	Producttype
REL8329	G3VM201G1TR
REL5473	G3VM202J1
REL8671	G3VM21DR
REL7980	G3VM351A
REL6299	G3VM351D
REL7985	G3VM352F
REL7662	G3VM352J
REL8804	G3VM353D
REL7986	G3VM401EY
REL8898	G3VM401VY
REL8670	G3VM41DR
REL8492	G3VM61VY2
REL7243	G3VM62J1
REL8672	G3VM61LRTR05
REL7795	G3VM61E1TR

Five Good Reasons for Choosing Rutronik24

Order online and receive personalised on-site support. We offer Catalog, Procurement, Mass Quotation and Product Change Notifications.

Advantages

for Developers

- Search and filter according to a maximum of 12 technical parameters
- Full text and part number search
- Data sheets, product links, application manuals
- Alternative replacement items suggested, e.g. with discontinued components

for Buyers

- Quotation request or direct ordering with the delivery and payment conditions agreed with Rutronik
- Position your complete component list in the mass quotation tool and receive a complete offer
- Direct contact with your Rutronik contact person – worldwide




Visit us at
www.rutronik24.com



1. Personal Support You Got it.

With Rutronik24 we have created a modular platform that significantly simplifies your business processes. The advantages of rapid online orders are combined with a personal advisory service, tailored to your needs. This has not replaced our personal service; on the contrary: We are adding to it.



2. Catalog All Roads Lead to Us.

Are you looking for a particular electronic component? Our Rutronik24 catalog will guide you reliably to the right choice: Our Product Groups Search will enable you to find the product you are looking for in a maximum of three steps. The product groups are divided into semiconductors, passive and electromechanical components, storage technologies, displays & boards as well as wireless technologies. Using the full-text and part number search, you can select results after entering parts of the product or manufacturer's name.



3. Procurement Everything at a Glance.

The Rutronik24 "Procurement" module provides you with a complete overview of your orders, item lists, stocks, contracts and delivery times. You can conveniently download all the lists in Excel format and import them into your inventory control system, for example. Take the opportunity to save time.




4. Mass Quotation Everything in Just a Few Seconds.

Rutronik24 offers you the opportunity to access all the information about our products very quickly. We have developed the "Mass quotation" tool for the fast and simple evaluation of your individual material. Upload your comprehensive item lists to our system in one file and this will then be returned to you, complete with current prices and additional information, just a few moments later.



5. PCN Everything from a Single Source.

Be fully informed of changes. Our Rutronik24 "PCN" module keeps you up-to-date with current product changes from our manufacturers. Not only do you have access to an extensive PCN database, but the product changes are also linked directly to the respective product. This gives you the opportunity to react in good time to the changes.


European Branches

Austria
 Rutronik Elektronische
 Bauelemente Ges. m. b. H.
 Durisolstraße 11
 4600 Wels
 Tel. +43 7242 44901

Belgium
 Rutronik Belgium BVBA
 Keppekouter 1
 Ninovesteenweg 198
 9320 Erembodegem-Aalst
 Tel. +32 53 73 99 71

Bulgaria
 Rutronik Elektronische
 Bauelemente GmbH
 Blvd. Nikola Vapzarov 35
 Business Center Lozenetz
 Floor 1, Office N° 1B
 1407 Sofia
 Tel. +359 2 974 86 46

Czech Republic
 Rutronik Elektronische
 Bauelemente CZ s.r.o.

Brno
 Pražákova 1008/69, 15. floor
 639 00 Brno
 Tel. +420 5 45424-681

Prague
 Na Pankraci 1638/43
 140 00 Praha 4
 Tel. +420 2 33 34 31 20

Denmark
 Rutronik Electronics
 Denmark ApS
 Herstedøstervej 27-29
 2620 Albertslund
 Tel. +45 7020 1963

Estonia
 Rutronik Elektronische
 Bauelemente GmbH
 Riia 142
 50411 Tartu
 Tel. +372 6500620

Finland
 Rutronik Elektronische
 Bauelemente GmbH
 Malminkaari 5
 00700 Helsinki
 Tel. +358 9 3291 2200

Germany – Headquarters

Rutronik Elektronische Bauelemente GmbH | Industriestraße 2 | 75228 Ispringen/Pforzheim
 Tel. +49 7231 801-0 | Fax +49 7231 82282 | E-Mail: rutronik@rutronik.com | www.rutronik.com

Berlin
 Justus-von-Liebig-Straße 7
 12489 Berlin
 Tel. +49 30 80927 16-0

Dresden
 Radeburger Straße 172
 01109 Dresden
 Tel. +49 351 20 53 30-0

Erfurt
 Flughafenstraße 4
 99092 Erfurt
 Tel. +49 361 228 36-30

France
 Rutronik S.A.S
 6, Mail de l'Europe
 78170 La Celle St Cloud
 Tel. +33 1 3008 33 00
rutronik_sas@rutronik.com

Bordeaux
 Tel. +33 5 57 26 40 00

Grenoble
 Tel. +33 4 76 61 00 90

Le Mans
 Tel. +33 2 43 78 16 97

Lyon
 Tel. +33 4 72 76 80 00

Rennes
 Tel. +33 2 23 45 14 40

Strasbourg
 Tel. +33 3 88 78 12 12

Hungary
 Rutronik Magyarország Kft.
 Alíz utca 1, 1117 Budapest
 Tel. +36 12 31 33 49

Italy
 Rutronik Italia S.r.l.
 Via Caldera 21
 Centro Direzionale S.Siro
 20153 Milano (MI)
 Tel. +39 02 409 51-1
italia_MI@rutronik.com

Bologna
 Tel. +39 051 64 63 20 1

Florence
 Tel. +39 055 8 82 73 32

Padua
 Tel. +39 049 8 69 78 00

Rome
 Tel. +39 06 228 782-1

Turin
 Tel. +39 011 9 02 20 00

Lithuania
 Rutronik Elektronische
 Bauelemente GmbH
 Jonavos g. 30, 44262 Kaunas
 Tel. +370 37 261780

Netherlands
 Rutronik Elektronische
 Bauelemente GmbH
 Takkebijsters 51a
 4817BL Breda
 Tel. +31 76 57 230 00

Norway
 Rutronik Elektronische
 Bauelemente GmbH
 Olaf Helset's vei 6, 0694 Oslo
 Tel. +47 22 76 79 20

Frankfurt
 Frankfurter Straße 151 c
 63303 Dreieich
 Tel. +49 6103 27003-0

Freiburg
 Basler Landstraße 8
 79111 Freiburg
 Tel. +49 761 61 1677-0

Hamburg
 Neue Gröningerstraße 10
 20457 Hamburg
 Tel. +49 40 359 60 06-20

Poland
 Rutronik Polska Sp. z o.o.
 ul. Bojkowska 37
 44-101 Gliwice
 Tel. +48 32 461 20 00

Gdynia
 ul. Batorego 28-32
 81-366 Gdynia
 Tel. +48 58 783 20-20

Warszawa
 ul. Broniewskiego 3
 01-785 Warszawa
 Tel. +48 22 462 70-50

Portugal
 Rutronik Elektronische
 Bauelemente GmbH
 Travessa Joaquim Sá Leonardo 85
 Antas
 4760-042 Vila Nova de Famalicão
 Tel. +351 252 312-336/337

Romania
 Rutronik Elektronische
 Bauelemente GmbH
 Strada Divizia 9 Cavalerie 64
 300254 Timișoara
 Tel. +40 25 6401240

București
 Tel. +40 21 3000141

Russia
 Rutronik
 Beteiligungsgesellschaft mbH

Moscow
 Leningradskoye Hwy, 57, Kor.2
 125195 Moskwa
 Tel. +7 499 9633184

Saint Petersburg
 Naberezhnaya Reki Moyki 58
 Office 609
 191186 Saint Petersburg
 Tel. +7 812 321-63-68

Serbia
 Rutronik Elektronische
 Bauelemente GmbH
 Maglajska 24a, 11000 Belgrade
 Tel. +381 (11) 40412 90

Slovakia
 Rutronik Elektronische
 Bauelemente GmbH, o.z.
 Lazovná 11
 97401 Banská Bystrica
 Tel. +421 48 472 23-00

Slovenia
 Rutronik Elektronische
 Bauelemente GmbH
 Motnica 5
 1236 Trzin
 Tel. +386 1 5 61 09 80

Hannover
 Rendsburger Straße 32
 30659 Hannover
 Tel. +49 511 228507-0

Mannheim
 Amselstraße 33
 68307 Mannheim
 Tel. +49 621 76 21 26-0

München
 Landsberger Straße 392
 81241 München
 Tel. +49 89 88 99 91-0

Spain
 Rutronik España S.L.

Barcelona
 C/ Tarragona 149-157, 6° 2a
 8014 Barcelona
 Tel. +34 93 444 24 12

Madrid
 C/ Santa Leonor 65,
 Avalon Parque Empresarial,
 Edificio A, Pta 4a,
 28037 Madrid
 Tel. +34 91 3 00 55 28

San Sebastian
 Pº Ubarburu 39 - Polígono 27
 office 303
 20014 Donostia
 Tel. +34 943 5095-00

Sweden
 Rutronik Nordic AB
 Kista Science Tower
 Färögatan 33,
 16451 Kista
 Tel. +46 8 50 55 49 00

Switzerland
 Rutronik Elektronische
 Bauelemente AG

Volketswil
 Brunnenstrasse 1
 8604 Volketswil
 Tel. +41 44 947 37 37

Turkey
 Rutronik Elektronische
 Bauelemente GmbH
 Barbaros Mahallesi,
 Ardic Sokak,
 Varyap Meridian G2 Blok,
 No.: 09
 34746 Bati Atasehir, Istanbul
rutronik_tr@rutronik.com

**United Kingdom
& Ireland**
 Rutronik UK Ltd.

Headquarters UK
 The Valley, Bolton
 1-3 Courtyard, Calvin Street
 BL1 8PB, Lancashire, UK
 Tel. +44 1204 602200

Swindon
 Whitehill Way
 Windmill Hill Business Park
 SN5 6QR Swindon
 Tel. +44 1793 441885

Nürnberg
 Südwestpark 10/12
 90449 Nürnberg
 Tel. +49 911 688 68-0

Gütersloh
 Brockweg 133
 33332 Gütersloh
 Tel. +49 5241 2 32 71-0

Ratingen
 Gothaer Straße 2
 40880 Ratingen
 Tel. +49 2102 99 00-0

International Branches

USA
 Rutronik Inc.

Dallas
 2745 North Dallas Parkway
 Parkway Centre III, Suite 660
 75093 Plano, TX
 Tel. +1 469 782 0900

California
 6203 San Ignacio Ave., Suite 110
 95119 San Jose, CA
 Tel. +1 669 247 5098

Massachusetts
 300 Baker Avenue, Suite 300
 01742 Concord, MA

Mexico
 Rutronik Mexico S.A. DE C.V.

Prologacion Tecnológico Norte 950B int. 1
 PISO 11-C, Colonia San Pablo,
 Corporativo Blanco
 76130 Querétaro, Tel. +52 442 103 1805

China
 Rutronik Electronics (Shenzhen) Co., Ltd

Shenzhen
 Room 807, No.98 Fuhua 1 Road
 Futian District, 518048 Shenzhen City
 Tel. +86 755 21 37 60 00
 Fax +86 755 21 37 60 01

Shanghai
 Room 1010, Dongchen Tower, No. 60
 Mudan Road, Pudong New District
 Shanghai 201204
 Tel. +86 21 38 86 78 88

Chengdu
 Room 709, Building G, China Overseas
 International Center,
 No. 333 Jiaozui Avenue, 610041 Chengdu
 Tel. +86 28 8651 2664

Hong Kong
 Rutronik Electronics Asia HK Ltd
 54/F, Hopewell Centre
 183 Queens Road East, Wan Chai
 Hong Kong, Tel. +852 3602 3135

India
 Rutronik Electronics Singapore Pte. Ltd.
 Office No- 201, Regus, 2nd Floor
 26/1 Hosur Road
 Bommanahalli Bangalore Karnataka
 Bangalore-560068, India
 Tel. +91 9880146135

Malaysia
 Rutronik Electronics Singapore Pte. Ltd.
 73-3-1, Ideal @ The One,
 Jalan Mahsuri, Bayan Lepas
 11950 Penang
 Tel. +60 124 280 181

Singapore
 Rutronik Electronics Singapore Pte Ltd
 10 ANG MO KIO Street 65
 Techpoint #06-02A
 569059 Singapore
 Tel. +65 6932 9778

Taiwan
 Rutronik Electronics Asia HK Ltd
 3F., No. 183, Zhouzi Street, Neihu District
 Taipei City 11493, Taiwan
 Tel. +886 2 2659 5889

Thailand
 Rutronik Electronics Singapore Pte Ltd
 2/1 Soi Rom Klao 25/2
 Rom Klao Road,
 Khlongsamprawet Ladkrabang
 10520 Bangkok
 Tel. +66 2 737 6423