Ready to Use External Antennas



molex

Ready to Use External Antennas

molex

Bluetooth/Wi-Fi Flexible

215868 - 2.4/5.8 GHz On-metal Antenna

215872 - 2.4/5/6 GHz Mini-Link Tri-band Antenna

212860 - 2.4/5 GHz Dual Band Hinged Antenna

214415 - 2.4 GHz Single Band Hinged Antenna

214386 - 2.4/5 GHz Dual Band U.FL Antenna

214428 - 5.0 GHz Single Band U.FL Antenna

214394 - 2.4/5 GHz 2x2 MIMO Antenna

214389 - 2.4/5 GHz High-Gain Antenna

ISM/DSRC Antennas

214414 - 5.8-6 GHz Hinged Antenna

214390 - 5.8-6 GHz High-Gain Antenna

214048 - 5.8-6 GHz 2x2 MIMO Antenna

216196 - 868/915 MHz LoRa Antenna

GNSS Antennas

213499 - 1561/1575/1602 MHz Magnetic Mount GNSS Antenna

Cellular Antennas

213523 - LTE Hinged Antenna

214429 - 5G Hinged Antenna

Combo Antennas

211297 - 2-in-1 4G/GPS Antenna

206866 - 3-in-1 (4G/Wi-Fi/GPS) Antenna

213500 - LTE/GPS Screw Mount Antenna

216589 - 2.4/5/6 GHz and 1575 MHz Multi-Hub 5-in-1 Antenna

Bluetooth/Wi-Fi External Antennas



BLUETOOTH/WI-FI EXTERNAL ANTENNAS								
Series	215868	215872	212860	214415	214386	214428	214394	214389
Key features	Low profile, excellent performance on metal surface	Small size antenna with excellent performance	General market product with good performance, flexibility and robustness			2x2 MIMO	High gain, firm structure for outdoor applications	
Size (mm)	44.00 by 37.00 by 8.50	35.00 or 30.00 by 8.00	108.40	by 9.35	104.00	by 9.40	77.00 by 15.00	275.00 by 23.00
Form factor	Low brick	Short stick	Whip-hinged	Whip-hinged	Whip-hinged-cable	Whip-hinged-cable	Hockey ball	Glass fiber reinforce plastic
Frequency (GHz)	2.4 / 5.8	2.4 to 2.5 5.0 to 5.9 5.9 to 7.0	2.4 / 5.0	2.4	2.4 / 5.0	5	2.4 / 5.0	2.4 / 5.0
Return Loss (dB)	<-6	<-10 / <-5 / <-3	<-10	<-10	<-10	<-8	<-10	<-10
Peak gain (dBi)	1.8 / 5.5	3.4 / 6.0 / 4.5	5.3 / 4.5	5.3	5.2 / 3.3	3.1	Port 1: 2.5 /2.6 Port 2: 3.1 /3.4	5.0 / 6.0
Efficiency	>50% >45%	>60% >60% >45%	>80% >75%	>80%	>80% >65%	>75%	>65% >47.5%	>85% >80%
Product image								

ISM/DSRC External Antennas



ISM/DSRC EXTERNAL ANTENNAS						
Series	214414	214390	214048	216196		
Key features	General market product with good performance, flexibility and robustness	High gain, firm structure for outdoor applications	2x2 MIMO	General market product with good performance, flexibility and robustness		
Size (mm)	108.40 by 9.35	275.00 by 23.00	75.00 by 14.90	13.00 by 196.00		
Form factor	Whip-hinged	Glass fiber-reinforce plastic	Hockey ball	Whip-hinged		
Frequency (GHz)	5.9	5.9	5.9	866±10MHz / 915±10 MHz		
Return Loss (dB)	<-10	<-8	<-10	<-15 / <-8		
Peak gain (dBi)	3.9	8.4	-1.0 / -1.8	2.5 / 1.7		
Efficiency	>75%	>75%	>10% (with cable loss)	>75% / >70%		
Product image						

GNSS External Antennas



	GNSS EXTERNAL ANTENNAS				
Series	213499				
Key features	Active antenna with amplifier circuit				
Size (mm)	55.00 by 47.00 by 16.70 (with 3.0m long cable)				
Form factor	Small brick				
Frequency (MHz)	1561.098±2.046 / 1575.42±1.023 / 1602±4				
Return Loss (dB)	<-10				
Peak gain (dBi)	28.0±3.0				
Efficiency	>20% / >30% / >25%				
Product image	molex outstands 215469				

Cellular External Antennas



CELLULAR EXTERNAL ANTENNAS					
Series	213523	214429			
Key features	General market product with good performance, flexibility and robustness. Wide LTE bands.	General market product with good performance, flexibility and robustness. Wide 5G/LTE bands.			
Size (mm)	171.50 by 19.40 mm (Straight mode)	171.50 by 19.40 mm (Straight mode)			
Form factor	Bar-hinged	Bar-hinged			
Frequency	698 to 960 MHz / 1710 to 2690 MHz	698 to 960 MHz / 1.5 to 3 GHz / 3 to 5 GHz			
Return Loss (dB)	<-5 / <-10	<-5 / <-10 / <-5			
Peak gain (dBi)	2.3 / 4.8	1.6 / 5.5 / 3.6			
Efficiency	>55% / >70%	>55% / >70% / >60% / >55%			
Product image					

Combo External Antennas



	COMBO EXTERNAL ANTENNAS					
Series	211297	206866	213500	216589 (ECD Q4 2020)		
Key features	2-in-1 antenna including LTE and GPS, adhesive mount	3-in-1 antenna including LTE, Wi-Fi and GPS, adhesive mount	2-in-1 antenna including LTE and GPS, Screw nut mount	5-in-1 antenna including 5G 2*2 MIMO, Wi-Fi 2*2 MIMO and GPS		
Size (mm)	77.00 by 15.00	77.00 by 15.00	75.00 by 14.90	155.00 by 65.00 by 20.00		
Form factor	Hockey ball	Hockey ball	Hockey ball, Screw-nut	Brick		
Frequency	Cellular: 824 to 960 MHz /1710 to 2690 MHz GPS: 1575.42±1.023 MHz	Cellular: 824 to 960 MHz /1710 to 2690 MHz GPS: 1575.42±1.023 MHz Wi-Fi: 2.4 GHz	Cellular: 824 to 960 MHz /1710 to 2690 MHz GPS: 1575.42±1.023 MHz	Cellular: 698 to 960 MHz /1710 to 5000 MHz GPS: 1575.42±1.023 MHz Wi-Fi: 2.4/5.8 GHz		
Return Loss (dB)	<-8 / -10	< -6 / < -10	<-5 / <-10	<-5		
Peak gain (dBi)	-0.8 @824 MHz, -2.1 @1561 MHz, -2.1 @1575 MHz, 0.4 @1710 MHz	-0.5 @824 MHz, -2.7 @2.4 GHz, 0 @1710 MHz, 3.0 @1575 MHz	0.77 @824 MHz, 3.73 @1710 MHz	2.0 to 3.9 @Cellular 3.3 to 3.4 @Wi-Fi 0 to 1.2 @GPS		
Efficiency	22.1% @1575 MHz, 22.3% @1561 MHz, 26.8% @1710 MHz, 33.6% @824 MHz	21.6% @824 MHz, 23.3% @2.4 GHz, 26.2% @1575 MHz, 27.2% @1710 MHz	55% @824 MHz, 60% @1710 MHz	40% to 65% @Cellular 50% to 60% @Wi-Fi 45% to 50% @GPS		
Product Image						

www.molex.com/cm/readytouseantenna.html

