

Product Brief

Intel® Xeon® W-3300 Processors



intel_s
XEON[®]

Uncompromising Performance for Expert Workstation Users

Built for advanced workstation professionals, Intel® Xeon® W-3300 processors offer uncompromised performance, expanded platform capabilities, and enterprise-grade security and reliability in a single-socket solution.

These processors are built for next-gen professional applications with heavily threaded, I/O-intensive workloads across artificial intelligence (AI) architecture, engineering, construction (AEC), and media and entertainment (M&E). With new processor core architecture to transform efficiency and advanced technologies to support data integrity, Intel® Xeon® W-3300 processors are equipped to deliver uncompromising workstation performance.



Intel® Xeon® W-3365 Processor versus AMD Threadripper Pro 3975WX Processor

27%
Faster
Product Development
Workloads⁶

Up to

47%
Faster
Energy, Oil, and
Gas Workloads7

Up to

10%
Faster
General Operations
Workloads8

Intelligent Engineering

Intel® Xeon® W-3300 processors feature a NEW processor core architecture.

- NEW Up to 4TB DDR4-3200 8-channel memory support^o
- NEW Increased core count: up to 38
- **NEW** Increased cache size: up to 1.5MB per core
- Up to 4.0 GHz with Intel® Turbo Boost Technology 2.0²

Advanced Accelerators

Push the frontiers of AI and data science with accelerated performance from Intel® Deep Learning Boost^{1,1} and Intel® AVX-512.³

Intel® AVX-512 (Advanced Vector Extensions) is a set of new instructions that can accelerate performance for workloads such as scientific simulations, financial analytics, AI, deep learning, 3D modeling and analysis, image and audio/video processing, cryptography, and data compression.³

Empowering Data Scientists

With support for up to 4TB of DDR4-3200 8-channel memory, Intel® Xeon® W-3300 processors are designed to have the memory span and speed for data science, deep learning, and machine learning workloads.

Enhanced Platform





Built for Large Data Sets

NEW Up to 2.5x maximum memory capacity support*

Intel® Xeon® W-3300 processors 8-channel 4TB (2 DPC) versus Intel® Xeon® W-3200 processors 2TB (2 DPC)

NEW Up to 31% memory bandwidth increase⁺

Intel® Xeon® W-3300 processors 8-channel 3200 MT/s (2 DPC) versus Intel® Xeon® W-3200 processors 6-channel 2666 MT/S (2 DPC)



Intel® Xeon® W-3375 Processor versus Intel® Xeon® W-3275 Processor

26%
Faster
Preview Rendering in AutoDesk Maya⁹

20% Faster

Editing/Encoding
Performance in Adobe
Premiere Pro Workloads¹⁰

45% Faster

Multi-Threaded Performance in Cinebench R23 Workloads¹

Advanced Expandability

- NEW Up to 64 CPU PCIe 4.0 lanes Increase PCIe bandwidth and flexibility for more I/O throughput, enabling the next generation of storage, accelerators, graphics, and networking.
- NEW Intel® Optane™ SSD P5800X support¹²
- NEW Discrete Intel® Wi-Fi 6E support
- Up to 20 platform PCle 3.0 lanes



Reliability & Security

Reliability, Availability, & Serviceability (RAS) Technology

When productivity loss from system downtime could cost thousands or even millions, you want technology to help reliably avoid, diagnose, and repair system-level faults. That's why Intel® Xeon® W-3300 processors come with RAS technologies like (but not limited to):

- DDR4 Command/Address Parity Check and Retry
- Out-of-band access to error logs
- PCIe Card Hot Plug (add/remove/swap)
- Predictive Failure Analysis







Industry Leadership

Intel's massive ecosystem of hardware and software partners means that the world builds their products to run well on Intel. Our leadership with standards certifications, validation programs, and optimization tools means that hardware, software, and OS developers work with Intel to ensure your customers avoid compatibility issues.



New Core Architecture	Deliver uncompromising performance and transform what your customers can accomplish on a workstation.		
Intel® Deep Learning Boost	Accelerates AI inference—vastly improving performance for deep-learning workloads.1		
Intel® AVX-512	With ultra-wide 512-bit vector operations capabilities, Intel® AVX-512 can handle your most demanding computational tasks.		
Intel® Optane™ SSD P5800X support ¹²	The next-generation Intel® Optane™ SSD P5800X provides the performance needed to support your most data-intensive workloads.		
Large Memory Footprint	Critical for data science and machine learning training.		
PCle 4.0	Enabling the next generation of storage, accelerators, graphics, and networking.		
Intel® Turbo Boost Technology 2.0	Intelligently boosts the processor to run faster than its rated frequency as power, heat, and workload allow.		
Intel® Hyperthreading Technology	Run demanding apps at the same time as background tasks like virus scans without impacting performance.		
ECC Memory Enablement	Augment system memory to detect and correct errors, helping ensure the integrity of essential data without interruption of workflow.		
Intel® Ethernet 800 Series	Next-gen Intel® Ethernet Series for cloud, comms, and enterprise.		
Intel [®] Wi-Fi 6E	Enable the fastest wireless speeds for PCs, gaining more responsive performance with enhanced security and reliability.5		



Processor I	Number	Intel® Xeon® W-3375 Processor	Intel® Xeon® W-3365 Processor	Intel® Xeon® W-3345 Processor	Intel® Xeon® W-3335 Processor	Intel® Xeon® W-3323 Processor
Cores/Th Per Soc		38/76	32/64	24/48	16/32	12/24
Base Clock	Speed	2.5 GHz	2.7 GHz	3.0 GHz	3.4 GHz	3.5 GHz
Intel® Turb Single Core Freque	e Turbo	Up to 4.0 GHz	Up to 4.0 GHz	Up to 4.0 GHz	Up to 4.0 GHz	Up to 3.9 GHz
Intel [®] Turb All Core ⁻ Freque	Turbo	Up to 3.3 GHz	Up to 3.5 GHz	Up to 3.7 GHz	Up to 3.7 GHz	Up to 3.7 GHz
Intel® Smar	t Cache	57 MB	48 MB	36 MB	24 MB	21 MB
Total Proces 4.0 Lai		64	64	64	64	64
TDP	,	270 W	270 W	250 W	250 W	220 W
Memory C	apacity	4 TB				
Memory S	upport	8 Channel DDR4-3200				
Error Corr Code (ECC) Suppo	Memory	✓	✓	~	~	✓
Reliabi Availabilii Serviceabili	ty, and	~	✓	✓	✓	✓



Notices & Disclaimers

- Intel® Deep Learning Boost 'Up To 3x Average Inference Performance Gains': As measured by the geomean across multiple deep learning framework workloads (Apache MXNet, TensorFlow, PyTorch, and Caffe). Results for Intel® Xeon® W-3300 processors have been estimated based on measured data comparing dual-socket Intel® Xeon® Platinum 8280 processor using 8-bit integer operations with Intel® Deep Learning Boost on ResNet-50 versus dual-socket Intel® Xeon® Platinum 8180 processor using 32-bit floating point operations. Test done by Intel as of 3/1/2019.
- 2 All SKUs, frequencies, and performance estimates are preliminary and can change without notice.
- 3 Intel® technologies' features and benefits depend on system configuration and may require enabled hardware, software or service activation. Performance varies depending on system configuration. No product or component can be absolutely secure. Check with your system manufacturer or retailer or learn more at https://www.intel.com.
- 4 Source: X. Li, M. Huang, K. Shen, and L. Chu. "A Realistic Evaluation of Memory Hardware Errors and Software System Susceptibility" https://www.cs.rochester.edu/~kshen/papers/usenix2010-li.pdf.
- 5 Select features only available certain SKUs. Check with manufacturer for details. For more Wi-Fi information please visit intel.com/wifi6disclaimers. Intel Wi-Fi 6: Intel® Wi-Fi 6 (Gig+) products support optional 160 MHz channels, enabling the fastest possible theoretical maximum speeds (2402 Mbps) for typical 2x2 802.11 AX PC Wi-Fi products. Premium Intel® Wi-Fi 6 (Gig+) products enable 2-4X faster maximum theoretical speeds compared 2x2 (1201 Mbps) or 1x1 (600 Mbps) 802.11 AX PC Wi-Fi products, which only support the mandatory requirement of 80 MHz channels.
- 6 Based on SPECworkstation 3 v3.1 Product Development score results on Intel® Xeon® W-3365 processor vs. AMD Threadripper Pro 3975WX processor. Performance results are based on results as of 05/20/2021 and may not reflect all publicly available updates. See configuration disclosure for details. No product can be absolutely secure. See Appendix for configuration details. For more complete information about performance and benchmark results, visit www.intel.com/benchmarks.
- 7 Based on SPECworkstation 3 v3.1 Energy score results on Intel® Xeon® W-3365 processor vs. AMD Threadripper Pro 3975WX processor. Performance results are based on results as of 05/20/2021 and may not reflect all publicly available updates. See configuration disclosure for details. No product can be absolutely secure. See Appendix for configuration details. For more complete information about performance and benchmark results, visit www.intel.com/benchmarks.
- 8 Based on SPECworkstation 3 v3.1 General Operations score results on Intel® Xeon® W-3365 processor vs. AMD Threadripper Pro 3975WX processor. Performance results are based on results as of 05/20/2021 and may not reflect all publicly available updates. See configuration disclosure for details. No product can be absolutely secure. See Appendix for configuration details. For more complete information about performance and benchmark results, visit www.intel.com/benchmarks.
- 9 Based on the Fast time to render using the Arnold Renderer in AutoDesk Maya on Intel® Xeon® W-3375 processor vs. Intel® Xeon® W-3275 processor. Performance results are based on results as of 05/20/2021 and may not reflect all publicly available updates. See configuration disclosure for details. No product can be absolutely secure. See Appendix for configuration details. For more complete information about performance and benchmark results, visit www.intel.com/benchmarks.
- 10 Based on PugetBench (0.95.1) Adobe Premiere Pro (2021) 15.0 Standard score results on Intel® Xeon® W-3375 processor vs. Intel® Xeon® W-3275 processor. Performance results are based on results as of 05/20/2021 and may not reflect all publicly available updates. See configuration disclosure for details. No product can be absolutely secure. See Appendix for configuration details. For more complete information about performance and benchmark results, visit www.intel.com/benchmarks.
- 11 Based on Cinebench R23 Multi-Threaded (MT) score results on Intel® Xeon® W-3375 processor vs. Intel® Xeon® W-3275 processor. Performance results are based on results as of 05/20/2021 and may not reflect all publicly available updates. See configuration disclosure for details. No product can be absolutely secure. See Appendix for configuration details. For more complete information about performance and benchmark results, visit www.intel.com/benchmarks.
- 12 Intel® Optane™ memory requires specific hardware and software configuration. Visit intel.com/OptaneMemory for configuration requirements.
- L Results have been estimated or simulated based on internal Intel® analysis and are provided for informational purposes only. Any difference in system hardware or software design or configuration may affect actual performance.
- ♦ Up to 4TB of total system memory support using LRDIMM. Intel® Xeon® W-3300 processors support both RDIMM and LRDIMM memory.
- + Lower-than-expected memory bandwidth may be seen due to many system variables, such as software workloads and system power states.

Intel does not control or audit third-party data. You should consult other sources to evaluate accuracy.

Performance varies by use, configuration and other factors. Learn more at www.Intel.com/PerformanceIndex.

Performance results are based on testing as of dates shown in configurations and may not reflect all publicly available updates. See backup for configuration details. No product or component can be absolutely secure.

Altering clock frequency or voltage may void any product warranties and reduce stability, security, performance, and life of the processor and other components. Check with system and component manufacturers for details.

Your costs and results may vary.

Intel technologies may require enabled hardware, software or service activation.

© Intel Corporation. Intel, the Intel logo, and other Intel marks are trademarks of Intel Corporation or its subsidiaries. Other names and brands may be claimed as the property of others.



Configurations

SPECworkstation 3 v3.1 performance measured on platforms with:

Intel® Xeon® W-3365 processor, PL1= 270W TDP, 32C/64T, Turbo up to 4.0GHz, Motherboard Name: Gigabyte MU72-SUO (C621A), Motherboard type: Pre-Production, BIOS: D07 Graphics: Nvidia Quadro RTX4000, Gfx version: 461.40, Memory: 128GB (8x16GB) DDR4-3200MHz ECC RDIMMs, Storage: 1TB Samsung 980 Pro, OS: Microsoft Windows(r) 10 Pro, Build Version 20H2 (19042.630), CPU Cooler: Liquid Cooling, EKWB-PRO LGA4189 1S Validation Kit.

VERSUS

AMD Threadripper Pro 3975WX, 32C/64T, TDP: 280W, Turbo up to 4.2GHz, System: Lenovo P620, Graphics: Nvidia Quadro RTX4000, Gfx version: 452.57, Memory: 8x8GB (DDR4-3200MHz) ECC RDIMM, Storage: 1TB Samsung 970 EVO Plus SSD, OS: Microsoft Windows(r) 10 Pro (Build 19042.630) 20H2, CPU Cooler: Air Cooler: Lenovo P620.

Arnold Renderer for AutoDesk Maya benchmark performance measured on platforms with:

Intel® Xeon® W-3375 processor, PL1= 270W TDP, 38C/76T, Turbo up to 4.0GHz, Motherboard Name: Gigabyte MU72-SUO (C621A), Motherboard type: Pre-Production, BIOS: D07 Graphics: Nvidia Quadro RTX4000, Gfx version: 461.40, Memory: 128GB (8x16GB) DDR4-3200MHz ECC RDIMMs, Storage: 1TB Samsung 980 Pro, OS: Microsoft Windows® 10 Pro, Build Version 20H2 (19042.630), CPU Cooler: Liquid Cooling, EKWB-PRO LGA4189 1S Validation Kit.

VERSUS

Intel® Xeon® W-3275 processor, PL1= 205W TDP, 28C/56T, Turbo up to 4.4GHz, Motherboard Name: ASUS C621-64L SAGE 10G, Motherboard type: Production, BIOS: 1102 Graphics: Nvidia Quadro RTX4000, Gfx version: 461.40, Memory: 96GB (6x16GB) DDR4-2933MHz ECC RDIMMs, Storage: 1TB Samsung 980 Pro, OS: Microsoft Windows® 10 Pro, Build Version 20H2 (19042.630), CPU Cooler: Air Cooler, Noctua NH-D9 DX-3647 4U.

PugetBench 0.95.1 - Adobe Premiere Pro 2021 performance measured on platforms with:

Intel® Xeon® W-3375 processor, PL1= 270W TDP, 38C/76T, Turbo up to 4.0GHz, Motherboard Name: Gigabyte MU72-SUO (C621A), Motherboard type: Pre-Production, BIOS: D07 Graphics: Nvidia Quadro RTX4000, Gfx version: 461.40, Memory: 128GB (8x16GB) DDR4-3200MHz ECC RDIMMs, Storage: 1TB Samsung 980 Pro, OS: Microsoft Windows® 10 Pro, Build Version 20H2 (19042.630), CPU Cooler: Liquid Cooling, EKWB-PRO LGA4189 1S Validation Kit.

VERSUS

Intel® Xeon® W-3275 processor, PL1= 205W TDP, 28C/56T, Turbo up to 4.4GHz, Motherboard Name: ASUS C621-64L SAGE 10G, Motherboard type: Production, BIOS: 1102 Graphics: Nvidia Quadro RTX4000, Gfx version: 461.40, Memory: 96GB (6x16GB) DDR4-2933MHz ECC RDIMMs, Storage: 1TB Samsung 980 Pro, OS: Microsoft Windows® 10 Pro, Build Version 20H2 (19042.630), CPU Cooler: Air Cooler, Noctua NH-D9 DX-3647 4U.

Cinebench R23 performance measured on platforms with:

Intel® Xeon® W-3375 processor, PL1= 270W TDP, 38C/76T, Turbo up to 4.0GHz, Motherboard Name: Gigabyte MU72-SUO (C621A), Motherboard type: Pre-Production, BIOS: D07 Graphics: Nvidia Quadro RTX4000, Gfx version: 461.40, Memory: 128GB (8x16GB) DDR4-3200MHz ECC RDIMMs, Storage: 1TB Samsung 980 Pro, OS: Microsoft Windows® 10 Pro, Build Version 20H2 (19042.630), CPU Cooler: Liquid Cooling, EKWB-PRO LGA4189 1S Validation Kit.

VERSUS

Intel® Xeon® W-3275 processor, PL1= 205W TDP, 28C/56T, Turbo up to 4.4GHz, Motherboard Name: ASUS C621-64L SAGE 10G, Motherboard type: Production, BIOS: 1102 Graphics: Nvidia Quadro RTX4000, Gfx version: 461.40, Memory: 96GB (6x16GB) DDR4-2933MHz ECC RDIMMs, Storage: 1TB Samsung 980 Pro, OS: Microsoft Windows® 10 Pro, Build Version 20H2 (19042.630), CPU Cooler: Air Cooler, Noctua NH-D9 DX-3647 4U.