


PRODUCT BRIEF

Intel® IoT Technology
Intel® Atom™, Intel® Pentium®, and Intel® Celeron® Processors



Achieving New Levels of CPU Performance, Fast Graphics and Media Processing, Image Processing, and Security

The latest generation of Intel® Atom™, Pentium®, and Celeron® processors empowers real-time computing in digital surveillance, new in-vehicle experiences, advancements in industrial and office automation, new solutions for retail and medical, and more.



Meeting the Demands of the Rapidly Growing Internet of Things

The number of connected machines has grown by approximately 300 percent¹ in recent years and is expected to continue to explode. By 2020, 330 billion devices will create 35 trillion GB of data annually,² and will require greatly increased processing power at the edge in order to maintain viability. Intel is supporting this rapid development and the growing complexity of IoT infrastructures with the release of the new Intel® Atom™ processor E3900 series, Intel® Pentium® processor N4200, and Intel® Celeron® processor N3350. They deliver the ability to handle more tasks. From manufacturing machines that can see to intelligent video systems, these new processors enable amazing new possibilities.

Powerful Edge Intelligence for IoT

These new Intel Atom, Pentium, and Celeron processors offer enhanced processing power in compact, low-power packages. They are now available with a dual- or quad-core processor running at up to 2.5 GHz and memory speeds up to LPDDR4 2400. All of this performance resides in a compact flip chip ball grid array (FCBGA), utilizing 14 nm silicon technology, making it an excellent fit for a wide range of IoT applications when space and power are at a premium.

Compact Graphics Powerhouse

On top of enhanced compute power, these new processors offer intense media processing capability. With the latest Intel® graphics processor integrated, these new processors deliver greatly increased video encode and playback performance. This means each processor can operate three independent displays: a single internal display, and dual external displays at a resolution of 4096 x 2160 for DisplayPort* displays and 3840 x 2160 for HDMI and eDP* displays—more than four times the resolution of standard HD. The Intel Atom processor family also offers exceptional efficiency with real-time video analytics at the edge for developers using the [Intel® SDK for OpenCL™ applications](#) and the Intel® Computer Vision SDK. This powerful new media capability in a flexible package opens new opportunities for those creating systems for media-rich applications.

The Next Level of Determinism

The ability to synchronize the operations of automated machines is key to making IoT processes more reliable and paving the way for new, more demanding applications. The Intel® Time Coordinated Computing Technology (Intel® TCC Technology) can synchronize networks of devices to within 1 μs, greatly improving real-time deterministic behavior within the system.

Enhanced, Silicon-Level Security

Protecting your IoT operations from unwanted access is always a key consideration. The new Intel Atom, Pentium, and Celeron processors offer hardened, more capable security at nearly every level. They can enhance your existing security solutions and make new types of protection possible. With the new Intel® Trusted Execution Engine (Intel® TXE), they offer enhanced data and operations protection in the most challenging environments, from retail transactions to manufacturing floors. This deep layer of protection can keep select data away from hackers, even if the OS is compromised. This security is matched with fast cryptographic execution thanks to Intel® AES New Instructions (Intel® SHA-NI, RDRAND), and a number of secure boot features, such as Intel® Boot Guard 2.0.


Enhanced Reliability

The new Intel Atom processor offers dependable performance even in extreme circumstances, such as in the industrial and aerospace verticals. Dual-channel error correction code (ECC) is now available when using DDR3L and helps guard against single-bit memory errors that can corrupt a system and lead to a crash. These processors are also available with an extreme junction temperature range of -40°C to 110°C. What's more, SKUs that are qualified and developed for operation in automotive applications, like in-vehicle infotainment (IVI) systems and digital cluster systems, are also available.

More I/Os

These new versions of the Intel Atom, Pentium, and Celeron processors help make IoT solutions less complex and more engaging, thanks to an expanded number of I/Os, allowing more complex configurations while requiring fewer external hubs. These new I/Os include six USB 3.0 ports and four PCIe* ports (six lanes) for greatly expanded, high-speed connectivity.

Intel® Atom™ E3900 Processor Series Reference Platform



KEY FEATURES

INTEL COMPUTE POWER

Faster Memory Speeds: Get up to 8 GB of LPDDR4.

More Processing Power: The new Intel® Atom™, Pentium®, and Celeron® processors are available with up to quad-core, 14 nm processors running at up to 2.5 GHz.

Compact Package: The low-power FCBGA package allows it be deployed in a wide range of applications.

POWERFUL MEDIA PERFORMANCE AND IMMERSIVE 3D GRAPHICS

Enhanced Display Performance: Get support for Ultra HD 4K at 60 Hz on three independent displays via three simultaneous graphics pipes.

Higher Resolution: Capture 13MP stills and 1080p60 video.

Enhanced API Support: Take advantage of the latest media hardware acceleration, including Intel® Media SDK (Intel® Quick Sync Video), Intel® Computer Vision SDK, DirectX* 12, and OpenGL* 4.3.

Powerful Video Analytics: Up to 15 simultaneous 1080p30 decode streams deliver high-level performance for surveillance and other videocentric applications.

THE NEXT LEVEL OF DETERMINISM

Intel® Time Coordinated Computing Technology (Intel® TCC Technology): Available when using Linux*, Intel TCC Technology coordinates and synchronizes peripherals and networks of connected devices, achieving improved determinism. It can resolve latency issues in applications, such as robotics manufacturing, by synchronizing the clocks of devices across networks to within 1 μs.

RELIABLE AND EFFICIENT COMPUTING

Error Correction Code (ECC): Delivers enhanced system reliability by helping to detect and eliminate DDR3L memory errors.

High-Temperature Rating: Available SKUs offer -40°C to 110°C junction temperature to support applications in extreme environments.

Extended Reliability: Protect your investment in industrial and automotive use cases.

Automotive-Qualified: Select SKUs offer the durability that qualifies them for automotive applications.

MORE I/Os

More I/O Ports: More USB ports, PCIe* lanes, and other ports allow for more complex configurations with fewer hubs.

High-Speed Connectivity: Six USB 3.0 ports and four PCIe ports with six lanes allow for ultrahigh data transfer rates with a greatly expanded number of peripherals.

SECURITY FEATURES OF THE INTEL® ATOM™ PROCESSOR E3900 SERIES

FEATURES OF THE NEW INTEL® TRUSTED EXECUTION ENGINE 3.0 (INTEL® TXE 3.0) DEDICATED SECURITY COPROCESSOR

Secure Boot or Measured Boot: Prevents malware and other unauthorized software from replacing or tampering with the low-level firmware and OS.

Digital Rights Management (DRM), HDCP 1.4 Wired/HDCP 2.2 Wireless, Protected Audio Video Path (PAVP): Receive, process, and transmit premium content securely.

Intel® Platform Trust Technology on Linux* OS: Stores secrets in hardware and performs crypto operations compliant to full Trusted Computing Group Trusted Platform Module* 2.0 specification.

ENHANCED CPU CRYPTOGRAPHY FEATURES

Intel® AES-NI, SHA-NI, RDRAND: Enables data confidentiality and integrity at higher throughput using native CPU instructions. For example, whole disk encryption, data at rest, and data in transit.

INTEL® ATOM™, INTEL® PENTIUM®, AND INTEL® CELERON® PROCESSORS FOR IOT

PROCESSOR NUMBER	CPU CORES	CPU HFV FREQUENCY	CPU SINGLE-CORE BURST FREQUENCY	CPU L2 CACHE SIZE	THERMAL DESIGN POWER	PACKAGE
Intel® Celeron® Processor N3350	2	1.1 GHz	2.4 GHz	2 MB	6W	FCBGA1296
Intel® Pentium® Processor N4200	4	1.1 GHz	2.5 GHz	2 MB	6W	FCBGA1296
Intel® Atom™ x5-E3930 Processor	2	1.3 GHz	1.8 GHz	2 MB	6.5W	FCBGA1296
Intel® Atom™ x5-E3940 Processor	4	1.6 GHz	1.8 GHz	2 MB	9.5W	FCBGA1296
Intel® Atom™ x7-E3950 Processor	4	1.6 GHz	2.0 GHz	2 MB	12W	FCBGA1296

SUPPORTED SOFTWARE

OS VENDOR	OPERATING SYSTEM (TARGETED FOR SUPPORT)	IMPLEMENTATION	DISTRIBUTION AND SUPPORT
Microsoft	Windows* 10 Enterprise (64-bit), IoT Core (32/64-bit)	Intel	Intel, Microsoft
Linux*	Wind River 8 Linux distribution (64-bit)	Wind River	Wind River
	Yocto Project* BSP tool-based embedded Linux distribution (64-bit)	Intel	Yocto Project and ISV Partners
Android*	Android 7.0 (64-bit) Nougat (Target Gold Release Q2 17)	Intel	ISV Partners
RTOS	Wind River VxWorks* 7	Wind River	Wind River

Sources for BIOS delivery

- American Megatrends
- Insyde Software
- Phoenix Technologies
- Byosoft

Sources for boot-loader support based on Intel® Firmware Support Package (Intel® FSP)

- Wind River
- American Megatrends
- Insyde Software
- Waris
- Ircona
- Eltan
- Byosoft
- Archermind
- SysPro Consulting



Learn more about these new features and capabilities at intel.com/content/www/us/en/embedded/products/apollo-lake/overview.html.

1. McKinsey & Company, May 2013.

2. "Big Data, Small Footprint": <http://www.bestcomputerscienceschools.net/big-data/>.

Intel technologies' features and benefits depend on system configuration and may require enabled hardware, software or service activation. Performance varies depending on system configuration. No computer system can be absolutely secure. Check with your system manufacturer or retailer or learn more at intel.com.

Software and workloads used in performance tests may have been optimized for performance only on Intel microprocessors. Performance tests, such as SYSmark and MobileMark, are measured using specific computer systems, components, software, operations and functions. Any change to any of those factors may cause the results to vary. You should consult other information and performance tests to assist you in fully evaluating your contemplated purchases, including the performance of that product when combined with other products. Results have been simulated and are provided for informational purposes only. For more complete information visit intel.com/benchmarks.

© 2016 Intel Corporation. All rights reserved. Intel, the Intel logo, Intel Atom, Celeron, and Pentium are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

*Other names and brands may be claimed as the property of others.

OpenCL and the OpenCL logo are trademarks of Apple Inc. used by permission by Khronos.

1016/ML/CMD/PDF

334896-001US